

# Package: ddplot (via r-universe)

August 26, 2024

**Type** Package

**Title** Create D3 Based SVG Graphics

**Version** 0.0.1

**Maintainer** Mohamed El Fodil Ihaddaden <ihaddaden.fodeil@gmail.com>

**Description** Create 'D3' based 'SVG' ('Scalable Vector Graphics') graphics using a simple 'R' API. The package aims to simplify the creation of many 'SVG' plot types using a straightforward 'R' API. The package relies on the 'r2d3' 'R' package and the 'D3' 'JavaScript' library. See <<https://rstudio.github.io/r2d3/>> and <<https://d3js.org/>> respectively.

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyData** true

**URL** <https://github.com/feddelegrand7/ddplot>

**BugReports** <https://github.com/feddelegrand7/ddplot/issues>

**RoxygenNote** 7.1.1

**Imports** r2d3

**Suggests** knitr, rmarkdown, ggplot2, dplyr, tidyr, zoo, gapminder

**VignetteBuilder** knitr

**Repository** <https://feddelegrand7.r-universe.dev>

**RemoteUrl** <https://github.com/feddelegrand7/ddplot>

**RemoteRef** HEAD

**RemoteSha** 546ebb1ec4ccbac0c0036ffc8711bf27a7cddb13

## Contents

animatedHistogram . . . . .	2
animLineChart . . . . .	4

areaBand	5
areaChart	7
barChart	9
barChartRace	11
histogram	13
horzBarChart	15
horzLollipop	17
lineChart	19
lollipopChart	20
pieChart	22
scatterPlot	24
stackedAreaChart	26

## Index 29

---

animatedHistogram	<i>Create an animated histogram.</i>
-------------------	--------------------------------------

---

### Description

Create an animated histogram.

### Usage

```

animatedHistogram(
  x,
  bins = 30,
  duration = 2000,
  delay = 100,
  fill = "crimson",
  xFontSize = 10,
  yFontSize = 10,
  xticks = NULL,
  yticks = NULL,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 16,
  title = NULL,
  titleFontSize = 22,
  stroke = "crimson",
  strokeWidth = NULL,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  bgcol = "#CAD0D3",
  opacity = 1,
  axisCol = "black",
  width = NULL,
  height = NULL
)

```

**Arguments**

x	A vector of data.
bins	The number of bins to consider. Defaults to 30.
duration	The duration of the bars' transition in milliseconds. Defaults to 2000.
delay	The amount of time (in milliseconds) that precedes before triggering the appearance of each bar. Defaults to 100.
fill	The color of the bars. Defaults to 'crimson'.
xFontSize	the font size of the x-axis labels. Defaults to 10.
yFontSize	the font size of the y-axis labels. Defaults to 10.
xticks	Optional. the number of x-axis ticks to consider.
yticks	Optional. The number of y-axis ticks to consider.
xtitle	Optional. The title of the x-axis.
xtitleFontSize	The font size of the x-axis title. Defaults to 16.
ytitle	Optional. The title of the y-axis.
ytitleFontSize	The font size of the y-axis title. Defaults to 16.
title	Optional. The title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
stroke	The stroke color of the bars. Defaults to 'crimson'.
strokeWidth	Optional. the stroke width of the bars.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the bars (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

An animated SVG histogram.

**Examples**

```
animatedHistogram(
  x = mtcars$mpg,
  duration = 2000,
  delay = 100
)
```

---

animLineChart      *Create an animated line chart*

---

## Description

Create an animated line chart

## Usage

```
animLineChart(
  data,
  x,
  y,
  curve = "curveLinear",
  duration = 5000,
  stroke = "crimson",
  strokeWidth = 1.5,
  xticks = NULL,
  yticks = NULL,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 16,
  title = NULL,
  titleFontSize = 22,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  bgcol = "#CAD0D3",
  opacity = 1,
  axisCol = "black",
  width = NULL,
  height = NULL
)
```

## Arguments

data	The data frame containing the variables to consider.
x	The x-variable to consider. Must be a date variable in 'yyyy-mm-dd' format.
y	The y-variable to consider.
curve	Optional. The line's curve type to render. A complete list can be found here <a href="https://github.com/d3/d3-shape#curves">https://github.com/d3/d3-shape#curves</a> . Defaults to 'curveLinear'.
duration	The duration in Milliseconds of the animation. Defaults to 5000.
stroke	The color of the line. Defaults to 'crimson'.
strokeWidth	The width of the line. Defaults to 1.5.
xticks	Optional. the number of x-axis ticks to consider.
yticks	Optional. The number of y-axis ticks to consider.

xtitle	Optional. The title of the x-axis.
xtitleFontSize	The font size of the x-axis title. Defaults to 16.
ytitle	Optional. The title of the y-axis.
ytitleFontSize	The font size of the y-axis title. Defaults to 16.
title	Optional. The title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the bars (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

An animated SVG line chart.

**Examples**

```
airpassengers <- data.frame(
  passengers = as.matrix(AirPassengers),
  date= zoo::as.Date(time(AirPassengers))
)
animLineChart(
  data = airpassengers,
  x = "date",
  y = "passengers",
  duration = 10000 # in milliseconds (10 seconds)
)
```

---

areaBand

*Create a band chart*

---

**Description**

Create a band chart

**Usage**

```

areaBand(
  data,
  x,
  yLower,
  yUpper,
  fill = "crimson",
  stroke = NULL,
  strokeWidth = NULL,
  xticks = NULL,
  yticks = NULL,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 16,
  title = NULL,
  titleFontSize = 22,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  bgcol = "#CAD0D3",
  opacity = 1,
  axisCol = "black",
  width = NULL,
  height = NULL
)

```

**Arguments**

data	The data frame containing the variables to consider.
x	The x-variable to consider. Must be a date variable in 'yyyy-mm-dd' format.
yLower	The y-lower band variable to consider.
yUpper	The y-upper band variable to consider.
fill	The color of the band. Defaults to 'crimson'.
stroke	Optional. The color of the stroke of the band.
strokeWidth	Optional. The width of the band stroke.
xticks	Optional. the number of x-axis ticks to consider.
yticks	Optional. The number of y-axis ticks to consider.
xtitle	Optional. The title of the x-axis.
xtitleFontSize	The font size of the x-axis title. Defaults to 16.
ytitle	Optional. The title of the y-axis.
ytitleFontSize	The font size of the y-axis title. Defaults to 16.
title	Optional. The title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".

bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the area chart (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

A SVG band chart

**Examples**

```
airpassengers <- data.frame(  
  passengers_lower = as.matrix(AirPassengers),  
  passengers_upper = as.matrix(AirPassengers) + 40,  
  date= zoo::as.Date(time(AirPassengers))  
)  
  
areaBand(  
  data = airpassengers,  
  x = "date",  
  yLower = "passengers_lower",  
  yUpper = "passengers_upper",  
  fill = "yellow",  
  stroke = "black"  
)
```

---

areaChart

*Create an area chart*

---

**Description**

Create an area chart

**Usage**

```
areaChart(  
  data,  
  x,  
  y,  
  fill = "crimson",  
  stroke = NULL,  
  strokeWidth = NULL,  
  xticks = NULL,  
  yticks = NULL,  
  xtitle = NULL,
```

```

xtitleLabelSize = 16,
ytitleLabel = NULL,
ytitleLabelSize = 16,
titleLabel = NULL,
titleLabelSize = 22,
font = "Verdana, Geneva, Tahoma, sans-serif",
bgcol = "#CAD0D3",
opacity = 1,
axisCol = "black",
width = NULL,
height = NULL
)

```

### Arguments

data	The data frame containing the variables to consider.
x	The x-variable to consider. Must be a date variable in 'yyyy-mm-dd' format.
y	The y-variable to consider.
fill	The color of the area chart. Defaults to 'crimson'.
stroke	Optional. The color of the stroke of the area.
strokeWidth	Optional. The width of the area stroke.
xticks	Optional. the number of x-axis ticks to consider.
yticks	Optional. The number of y-axis ticks to consider.
xtitleLabel	Optional. The title of the x-axis.
xtitleLabelSize	The font size of the x-axis title. Defaults to 16.
ytitleLabel	Optional. The title of the y-axis.
ytitleLabelSize	The font size of the y-axis title. Defaults to 16.
titleLabel	Optional. The title of the plot.
titleLabelSize	The font size of the plot title. Defaults to 22.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the area chart (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

### Value

a SVG area chart



**Examples**

```
# 1. converting AirPassengers to a tidy data frame
airpassengers <- data.frame(
  passengers = as.matrix(AirPassengers),
  date= zoo::as.Date(time(AirPassengers))
)

# 2. plotting the area chart
areaChart(
  data = airpassengers,
  x = "date",
  y = "passengers",
  fill = "purple",
  bgcol = "white"
)
```

---

**barChart***Create a bar chart.*

---

**Description**

Create a bar chart.

**Usage**

```
barChart(
  data,
  x,
  y,
  fill = "crimson",
  sort = "none",
  paddingWidth = 0.1,
  xticks = NULL,
  xFontSize = 10,
  yFontSize = 10,
  yticks = NULL,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 16,
  title = NULL,
  titleFontSize = 22,
  stroke = "crimson",
  strokeWidth = NULL,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  bgcol = "#CAD0D3",
  opacity = 1,
  axisCol = "black",
```

```

    width = NULL,
    height = NULL
  )

```

### Arguments

<code>data</code>	The data frame containing the variables to consider.
<code>x</code>	The x-variable to consider.
<code>y</code>	The y-variable to consider.
<code>fill</code>	The color of the bars. Defaults to 'crimson'.
<code>sort</code>	Whether to sort or not the bars. Takes three values 'none' which is the default, 'ascending' or 'descending'.
<code>paddingWidth</code>	The distance between each bar. The value goes from 0 to 0.99 included. Defaults to 0.1.
<code>xticks</code>	Optional. the number of x-axis ticks to consider.
<code>xFontSize</code>	the font size of the x-axis labels. Defaults to 10.
<code>yFontSize</code>	the font size of the y-axis labels. Defaults to 10.
<code>yticks</code>	Optional. The number of y-axis ticks to consider.
<code>xtitle</code>	Optional. The title of the x-axis.
<code>xtitleFontSize</code>	The font size of the x-axis title. Defaults to 16.
<code>yttitle</code>	Optional. The title of the y-axis.
<code>yttitleFontSize</code>	The font size of the y-axis title. Defaults to 16.
<code>title</code>	Optional. The title of the plot.
<code>titleFontSize</code>	The font size of the plot title. Defaults to 22.
<code>stroke</code>	The stroke color of the bars. Defaults to 'crimson'.
<code>strokeWidth</code>	Optional. the stroke width of the bars.
<code>font</code>	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
<code>bgcol</code>	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
<code>opacity</code>	The color opacity of the bars (from 0 to 1). Defaults to 1.
<code>axisCol</code>	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
<code>width</code>	Optional. The width of the SVG output.
<code>height</code>	Optional. The height of the SVG output.

### Value

A SVG bar chart.

## Examples

```
library(ggplot2) #needed for the mpg data frame
library(dplyr) #needed for data wrangling

mpg %>% group_by(manufacturer) %>%
  summarise(mean_cty = mean(cty)) %>%
  barChart(
    x = "manufacturer",
    y = "mean_cty",
    sort = "ascending",
    xFontSize = 10,
    yFontSize = 10,
    fill = "orange",
    strokeWidth = 1,
    ytitle = "average cty value",
    title = "Average City Miles per Gallon by manufacturer",
    titleFontSize = 16
  )
```

---

barChartRace

*Create a bar chart race.*

---

## Description

Create a bar chart race.

## Usage

```
barChartRace(
  data,
  x,
  y,
  time,
  ease = "Linear",
  frameDur = 500,
  transitionDur = 500,
  colorCategory = "Accent",
  sort = "descending",
  paddingWidth = 0.1,
  xFontSize = 10,
  yFontSize = 10,
  xticks = 10,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 14,
  title = NULL,
  titleFontSize = 22,
```

```

stroke = "black",
strokeWidth = NULL,
font = "Verdana, Geneva, Tahoma, sans-serif",
bgcol = "#CAD0D3",
panelcol = "#EBEBEBFF",
xgridlinecol = "white",
opacity = 1,
timeLabel = TRUE,
timeLabelOpts = list(size = 32, prefix = "", suffix = "", xOffset = 0.5, yOffset = 1),
width = NULL,
height = NULL
)

```

### Arguments

data	The data frame containing the variables to consider.
x	The x-variable to consider.
y	The y-variable to consider.
time	The time variable to consider.
ease	The easing method, you can find more here < <a href="https://github.com/d3/d3-ease">https://github.com/d3/d3-ease</a> >. Defaults to 'Linear'.
frameDur	The time spent paused on each frame (time point) in milliseconds.
transitionDur	The time spent transitioning between frames in milliseconds.
colorCategory	A D3 categorical color scheme, you can find more here < <a href="https://github.com/d3/d3-scale-chromatic#categorical">https://github.com/d3/d3-scale-chromatic#categorical</a> >. Defaults to 'Accent'.
sort	Whether to sort or not the bars. Takes three values 'none' which is the default, 'ascending' or 'descending'. Defaults to 'descending'.
paddingWidth	The distance between each bar. The value goes from 0 to 0.99 included. Defaults to 0.1.
xFontSize	the font size of the x-axis labels. Defaults to 10.
yFontSize	the font size of the y-axis labels. Defaults to 10.
xticks	the number of y-axis ticks to consider. Defaults to 10.
xtitle	Optional. The title of the x-axis.
xtitleFontSize	The font size of the x-axis title. Defaults to 16.
ytitle	Optional. The title of the y-axis.
ytitleFontSize	The font size of the y-axis title. Defaults to 14.
title	Optional. The title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
stroke	The stroke color of the bars. Defaults to 'black'.
strokeWidth	Optional. the stroke width of the bars.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".

bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
panelcol	The background color of the panel. Defaults to "#EBEBEBFF" HEX color.
xgridlinecol	The color of the x-axis grid lines. Defaults to 'white'.
opacity	The color opacity of the bars (from 0 to 1). Defaults to 1.
timeLabel	Whether to show a label for the value of the time variable. Defaults to TRUE.
timeLabelOpts	Options for labeling the value of the time variable. Takes a list specifying the 'size', 'prefix', 'suffix', 'xOffset', and 'yOffset'. Offsets are scaled relative to the dimensions of the label, from the bottom-right corner of the panel.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

An animated SVG bar chart race, wrapped in a div.

**Examples**

```
library(gapminder)
library(dplyr)
# let's select a set of countries only
gapminder <- gapminder %>%
  filter(
    country %in% c("Algeria", "Mexico", "Iceland", "Greece", "Finland")
  )

barChartRace(
  data = gapminder,
  x = "lifeExp",
  y = "country",
  time = "year",
  ytitle = "Country",
  xtitle = "Life expectancy",
  title = "Bar chart race of countries life expectancy"
)
```

---

histogram

*Create a histogram.*

---

**Description**

Create a histogram.

**Usage**

```

histogram(
  x,
  bins = 30,
  fill = "crimson",
  xFontSize = 10,
  yFontSize = 10,
  xticks = NULL,
  yticks = NULL,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 16,
  title = NULL,
  titleFontSize = 22,
  stroke = "crimson",
  strokeWidth = NULL,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  bgcol = "#CAD0D3",
  opacity = 1,
  axisCol = "black",
  width = NULL,
  height = NULL
)

```

**Arguments**

<code>x</code>	A vector of data.
<code>bins</code>	The number of bins to consider. Defaults to 30.
<code>fill</code>	The color of the bars. Defaults to 'crimson'.
<code>xFontSize</code>	the font size of the x-axis labels. Defaults to 10.
<code>yFontSize</code>	the font size of the y-axis labels. Defaults to 10.
<code>xticks</code>	Optional. the number of x-axis ticks to consider.
<code>yticks</code>	Optional. The number of y-axis ticks to consider.
<code>xtitle</code>	Optional. The title of the x-axis.
<code>xtitleFontSize</code>	The font size of the x-axis title. Defaults to 16.
<code>ytitle</code>	Optional. The title of the y-axis.
<code>ytitleFontSize</code>	The font size of the y-axis title. Defaults to 16.
<code>title</code>	Optional. The title of the plot.
<code>titleFontSize</code>	The font size of the plot title. Defaults to 22.
<code>stroke</code>	The stroke color of the bars. Defaults to 'crimson'.
<code>strokeWidth</code>	Optional. the stroke width of the bars.
<code>font</code>	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".

bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the bars (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

A SVG histogram.

**Examples**

```

histogram(
  x = mtcars$mpg,
  bins = 20,
  fill = "crimson",
  stroke = "white",
  strokeWidth = 1,
  title = "Distribution of the hwy variable",
  width = "20",
  height = "10"
)

```

---

horzBarChart

*Create a horizontal bar chart*


---

**Description**

Create a horizontal bar chart

**Usage**

```

horzBarChart(
  data,
  label,
  value,
  fill = "crimson",
  sort = "none",
  paddingWidth = 0.1,
  stroke = NULL,
  strokeWidth = 1,
  bgcol = "#CAD0D3",
  valueTicks = NULL,
  valueFontSize = 10,
  labelFontSize = 10,
  valueTitle = NULL,

```

```

valueTitleFontSize = 14,
labelTitle = NULL,
labelTitleFontSize = 14,
font = "Verdana, Geneva, Tahoma, sans-serif",
title = NULL,
titleFontSize = 20,
opacity = 1,
axisCol = "black",
width = NULL,
height = NULL
)

```

### Arguments

<code>data</code>	The data frame containing the variables to consider.
<code>label</code>	The categorical variable to consider. Will be plotted on the y-axis.
<code>value</code>	The numeric variable to consider. Will be plotted on the x-axis.
<code>fill</code>	The color of the bars. Defaults to 'crimson'.
<code>sort</code>	Optional. Takes the following arguments: 'none', 'ascending' or 'descending', default to 'none'
<code>paddingWidth</code>	The distance between each bar. The value goes from 0 to 0.99 included. Defaults to 0.1.
<code>stroke</code>	Optional. The color of the stroke of the bars.
<code>strokeWidth</code>	The width of the stroke of the bars. Defaults to 1 when the 'stroke' parameter is used.
<code>bgcol</code>	Optional. The color of the background, default to: '#CAD0D3'
<code>valueTicks</code>	Optional. the number of x-axis ticks to consider.
<code>valueFontSize</code>	The font size of the x-axis values. Defaults to 10.
<code>labelFontSize</code>	The font size of the y-axis labels. Defaults to 10.
<code>valueTitle</code>	Optional. The title of the x-axis.
<code>valueTitleFontSize</code>	The font size of the x-axis title if specified. Defaults to 14.
<code>labelTitle</code>	Optional. The title of the y-axis.
<code>labelTitleFontSize</code>	The font size of the y-axis title. Defaults to 14.
<code>font</code>	The font family of the text. Defaults to "Verdana, Geneva, Tahoma, sans-serif"
<code>title</code>	Optional. The title of the overall graphic.
<code>titleFontSize</code>	The font size of the overall graphic's title when specified.
<code>opacity</code>	The color opacity of the bars. Goes from 0 to 1. Defaults to 1.
<code>axisCol</code>	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
<code>width</code>	Optional. The width of the SVG output.
<code>height</code>	Optional. The height of the SVG output.



**Value**

A SVG horizontal bar chart.

**Examples**

```
library(ggplot2) # needed for the mpg data frame
library(dplyr) # needed for the data wrangling process

mpg %>% group_by(manufacturer) %>%
  summarise(median_hwy = median(hwy)) %>%
  horzBarChart(
    label = "manufacturer",
    value = "median_hwy",
    sort = "ascending"
  )
```

---

horzLollipop

*Create a horizontal lollipop chart*

---

**Description**

Create a horizontal lollipop chart

**Usage**

```
horzLollipop(
  data,
  label,
  value,
  sort = "none",
  bgcol = "white",
  valueTicks = NULL,
  labelTicks = NULL,
  valueFontSize = 12,
  labelFontSize = 12,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  valueType = NULL,
  valueTypeFontSize = 14,
  labelText = NULL,
  labelTextFontSize = 14,
  title = NULL,
  titleFontSize = 20,
  lineStroke = "maroon",
  lineStrokeWidth = 4,
  circleFill = "lime",
  circleStroke = "lime",
  circleStrokeWidth = 1,
```

```

    circleRadius = 5,
    axisCol = "black",
    width = NULL,
    height = NULL
)

```

### Arguments

<code>data</code>	The data frame containing the variables to consider.
<code>label</code>	The categorical variable to consider. Will be plotted on the x-axis.
<code>value</code>	The numeric variable to consider. Will be plotted on the y-axis.
<code>sort</code>	Whether to sort or not the vertical lines. Takes three values 'none' which is the default, 'ascending' or 'descending'.
<code>bgcol</code>	The background-color of the SVG output. Defaults to 'salmon'.
<code>valueTicks</code>	Optional. the number of x-axis ticks to consider.
<code>labelTicks</code>	Optional. The number of y-axis ticks to consider.
<code>valueFontSize</code>	the font size of the x-axis labels. Defaults to 10.
<code>labelFontSize</code>	the font size of the y-axis labels. Defaults to 10.
<code>font</code>	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
<code>valueTitle</code>	Optional. The title of the x-axis.
<code>valueTitleFontSize</code>	The font size of the x-axis title. Defaults to 14.
<code>labelTitle</code>	Optional. The title of the y-axis.
<code>labelTitleFontSize</code>	The font size of the y-axis title. Defaults to 14.
<code>title</code>	Optional. The title of the plot.
<code>titleFontSize</code>	The font size of the plot title. Defaults to 22.
<code>lineStroke</code>	The stroke color of the vertical lines. Defaults to 'maroon'.
<code>lineStrokeWidth</code>	The vertical lines stroke's width. Defaults to 4.
<code>circleFill</code>	The color of the circles. Defaults to 'lime'.
<code>circleStroke</code>	The color of the stroke surrounding the circle. Defaults to 'lime'.
<code>circleStrokeWidth</code>	The width of the circles' stroke. Defaults to 1.
<code>circleRadius</code>	The radius of the circles. Defaults to 10.
<code>axisCol</code>	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
<code>width</code>	Optional. The width of the SVG output.
<code>height</code>	Optional. The height of the SVG output.

### Value

A SVG horizontal lollipop chart.

---

`lineChart`*Create a line chart*

---

**Description**

Create a line chart

**Usage**

```
lineChart(  
  data,  
  x,  
  y,  
  curve = "curveLinear",  
  stroke = "crimson",  
  strokeWidth = 1.5,  
  xticks = NULL,  
  yticks = NULL,  
  xtitle = NULL,  
  xtitleFontSize = 16,  
  ytitle = NULL,  
  ytitleFontSize = 16,  
  title = NULL,  
  titleFontSize = 22,  
  font = "Verdana, Geneva, Tahoma, sans-serif",  
  bgcol = "#CAD0D3",  
  opacity = 1,  
  axisCol = "black",  
  width = NULL,  
  height = NULL  
)
```

**Arguments**

<code>data</code>	The data frame containing the variables to consider.
<code>x</code>	The x-variable to consider. Must be a date variable in 'yyyy-mm-dd' format.
<code>y</code>	The y-variable to consider.
<code>curve</code>	The line's curve type to render. A complete list can be found here < <a href="https://github.com/d3/d3-shape#curves">https://github.com/d3/d3-shape#curves</a> >. Defaults to 'curveLinear'.
<code>stroke</code>	The color of the line. Defaults to 'crimson'.
<code>strokeWidth</code>	The width of the line. Defaults to 1.5.
<code>xticks</code>	Optional. the number of x-axis ticks to consider.
<code>yticks</code>	Optional. The number of y-axis ticks to consider.
<code>xtitle</code>	Optional. The title of the x-axis.

xtitleLabelFontSize	The font size of the x-axis title. Defaults to 16.
ytitleLabel	Optional. The title of the y-axis.
ytitleLabelFontSize	The font size of the y-axis title. Defaults to 16.
titleLabel	Optional. The title of the plot.
titleLabelFontSize	The font size of the plot title. Defaults to 22.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the bars (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

A SVG line chart.

**Examples**

```
# 1. converting AirPassengers to a tidy data frame
airpassengers <- data.frame(
  passengers = as.matrix(AirPassengers),
  date= zoo::as.Date(time(AirPassengers))
)

# 2. plotting the line chart
lineChart(
  data = airpassengers,
  x = "date",
  y = "passengers"
)
```

---

lollipopChart

*Create a lollipop chart*


---

**Description**

Create a lollipop chart

**Usage**

```

lollipopChart(
  data,
  x,
  y,
  sort = "none",
  bgcol = "white",
  xticks = NULL,
  yticks = NULL,
  xFontSize = 12,
  yFontSize = 12,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  xtitle = NULL,
  xtitleFontSize = 14,
  ytitle = NULL,
  ytitleFontSize = 14,
  title = NULL,
  titleFontSize = 20,
  lineStroke = "maroon",
  lineStrokeWidth = 4,
  circleFill = "lime",
  circleStroke = "lime",
  circleStrokeWidth = 1,
  circleRadius = 10,
  axisCol = "black",
  width = NULL,
  height = NULL
)

```

**Arguments**

<code>data</code>	The data frame containing the variables to consider.
<code>x</code>	The categorical variable to consider. Will be plotted on the x-axis.
<code>y</code>	The numeric variable to consider. Will be plotted on the y-axis.
<code>sort</code>	Whether to sort or not the vertical lines. Takes three values 'none' which is the default, 'ascending' or 'descending'.
<code>bgcol</code>	The background-color of the SVG output. Defaults to 'white'.
<code>xticks</code>	Optional. the number of x-axis ticks to consider.
<code>yticks</code>	Optional. The number of y-axis ticks to consider.
<code>xFontSize</code>	the font size of the x-axis labels. Defaults to 10.
<code>yFontSize</code>	the font size of the y-axis labels. Defaults to 10.
<code>font</code>	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
<code>xtitle</code>	Optional. The title of the x-axis.
<code>xtitleFontSize</code>	The font size of the x-axis title. Defaults to 16.

<code>ytitle</code>	Optional. The title of the y-axis.
<code>ytitleFontSize</code>	The font size of the y-axis title. Defaults to 16.
<code>title</code>	Optional. The title of the plot.
<code>titleFontSize</code>	The font size of the plot title. Defaults to 22.
<code>lineStroke</code>	The stroke color of the vertical lines. Defaults to 'maroon'.
<code>lineStrokeWidth</code>	The vertical lines stroke's width. Defaults to 4.
<code>circleFill</code>	The color of the circles. Defaults to 'lime'.
<code>circleStroke</code>	The color of the stroke surrounding the circle. Defaults to 'lime'.
<code>circleStrokeWidth</code>	The width of the circles' stroke. Defaults to 1.
<code>circleRadius</code>	The radius of the circles. Defaults to 10.
<code>axisCol</code>	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
<code>width</code>	Optional. The width of the SVG output.
<code>height</code>	Optional. The height of the SVG output.

**Value**

A SVG lollipop chart.

**Examples**

```
library(ggplot2) # needed for the mpg data frame
library(dplyr) # needed for data wrangling

mpg %>% group_by(drv) %>%
  summarise(median_cty = median(cty)) %>%
  lollipopChart(
    x = "drv",
    y = "median_cty",
    sort = "ascending",
    xtitle = "drv variable",
    ytitle = "median cty",
    title = "Median cty per drv"
  )
```

---

pieChart

*Create a pie chart*

---

**Description**

Create a pie chart

**Usage**

```
pieChart(
  data,
  value,
  label,
  colorCategory = "Paired",
  innerRadius = 0,
  outerRadius = "auto",
  padRadius = 0,
  padAngle = NULL,
  cornerRadius = 0,
  labelFont = "sans-serif",
  title = NULL,
  titleFontSize = 22,
  font = "Verdana, Geneva, Tahoma, sans-serif",
  bgcol = "white",
  opacity = 1,
  labelHeight = 18,
  width = NULL,
  height = NULL
)
```

**Arguments**

data	The data frame to consider.
value	The numeric variable to consider.
label	The labeling variable to consider.
colorCategory	A D3 categorical color scheme, you can find more here < <a href="https://github.com/d3/d3-scale-chromatic#categorical">https://github.com/d3/d3-scale-chromatic#categorical</a> >. Defaults to 'Paired'
innerRadius	The size of the inner radius of the pie. Defaults to 0. Set the inner radius to a higher value to plot a donut chart.
outerRadius	The size of the outer radius of the pie.
padRadius	From the D3 official documentation, The pad radius compute the fixed linear distance separating adjacent arcs, defined as $\text{padRadius} * \text{padAngle}$ .
padAngle	Optional. From the D3 official documentation, the padAngle is used to set the padding angle between consecutive arcs.
cornerRadius	From the D3 official documentation, the value of the corner radius for rounded corners. If the corner radius is greater than zero, the corners of the arc are rounded using circles of the given radius. Defaults to 0.
labelFont	The font family of the legend. Defaults to 'sans-serif'.
title	Optional. The title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".

bgcol	The background color of the SVG. Defaults to "white".
opacity	The color opacity of the pie (from 0 to 1). Defaults to 1.
labelHeight	The height of the legend. Defaults to 18.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

### Value

A SVG pie chart

### Examples

```
library(dplyr) # needed for the starwars data frame

# starwars is part of the dplyr data frame
mini_starwars <- starwars %>% tidyr::drop_na(mass) %>%
  sample_n(size = 5) # getting 5 random values

pieChart(
  data = mini_starwars,
  value = "mass",
  label = "name"
)
```

---

scatterPlot

*Create a scatter plot.*

---

### Description

Create a scatter plot.

### Usage

```
scatterPlot(
  data,
  x,
  y,
  col = "crimson",
  size = 2,
  xticks = NULL,
  yticks = NULL,
  xtitle = NULL,
  xtitleFontSize = 16,
  ytitle = NULL,
  ytitleFontSize = 16,
  title = NULL,
  titleFontSize = 22,
```



```

stroke = NULL,
strokeWidth = NULL,
font = "Verdana, Geneva, Tahoma, sans-serif",
bgcol = "#CAD0D3",
opacity = 1,
axisCol = "black",
width = NULL,
height = NULL
)

```

### Arguments

data	The data frame containing the quantitative variables.
x	The x-variable to consider.
y	The y-variable to consider.
col	The color of the dots. Defaults to 'crimson'.
size	The size of the dots. Defaults to 2.
xticks	Optional. The number of x-axis ticks to consider.
yticks	Optional. The number of y-axis ticks to consider.
xtitle	Optional. the title of the x-axis.
xtitleFontSize	The font size of the x-axis title. Defaults to 16.
ytitle	Optional. The title of the y-axis.
ytitleFontSize	The font size of the y-axis title. Defaults to 16.
title	Optional. the title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
stroke	Optional. the stroke color of the dots.
strokeWidth	Optional. the stroke width of the dots.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the dots (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
width	Optional. the width of the SVG output.
height	Optional. the height of the SVG output.

### Value

A SVG scatter plot.

## Examples

```
scatterPlot(  
  data = mtcars,  
  x = "mpg",  
  y = "wt"  
)
```

---

stackedAreaChart	<i>Create a stacked area chart</i>
------------------	------------------------------------

---

## Description

Create a stacked area chart

## Usage

```
stackedAreaChart(  
  data,  
  x,  
  colorCategory = "Category10",  
  curve = "curveLinear",  
  stroke = NULL,  
  strokeWidth = 1.5,  
  xticks = NULL,  
  yticks = NULL,  
  xtitle = NULL,  
  xtitleFontSize = 16,  
  ytitle = NULL,  
  ytitleFontSize = 16,  
  title = NULL,  
  titleFontSize = 22,  
  font = "Verdana, Geneva, Tahoma, sans-serif",  
  bgcol = "#CAD0D3",  
  opacity = 1,  
  axisCol = "black",  
  legendBoxSize = 18,  
  legendTextSize = 18,  
  width = NULL,  
  height = NULL  
)
```

## Arguments

data	The data frame containing the variables to consider.
x	The x-variable to consider. Must be a date variable in 'yyyy-mm-dd' format.

colorCategory	A D3 categorical color scheme, you can find more here < <a href="https://github.com/d3/d3-scale-chromatic#categorical">https://github.com/d3/d3-scale-chromatic#categorical</a> >. Defaults to 'Category10'.
curve	The line's curve type to render. A complete list can be found here < <a href="https://github.com/d3/d3-shape#curves">https://github.com/d3/d3-shape#curves</a> >. Defaults to 'curveLinear'.
stroke	Optional. The color of the stroke of the area.
strokeWidth	The width of the line. Defaults to 1.5.
xticks	Optional. the number of x-axis ticks to consider.
yticks	Optional. The number of y-axis ticks to consider.
xtitle	Optional. The title of the x-axis.
xtitleFontSize	The font size of the x-axis title. Defaults to 16.
ytitle	Optional. The title of the y-axis.
ytitleFontSize	The font size of the y-axis title. Defaults to 16.
title	Optional. The title of the plot.
titleFontSize	The font size of the plot title. Defaults to 22.
font	The font family to consider for the titles. Defaults to "Verdana, Geneva, Tahoma, sans-serif".
bgcol	The background color of the SVG. Defaults to "#CAD0D3" HEX color.
opacity	The color opacity of the area chart (from 0 to 1). Defaults to 1.
axisCol	the color of the x and y axis. It includes the ticks, the labels and titles. Defaults to 'black'.
legendBoxSize	The size of the legend rectangles. Defaults to 18.
legendTextSize	The font size of the legend text Defaults to 18.
width	Optional. The width of the SVG output.
height	Optional. The height of the SVG output.

**Value**

a SVG stacked area chart

**Examples**

```
data <- data.frame(
  date = c(
    "2000-01-01", "2000-02-01", "2000-03-01", "2000-04-01",
    "2000-05-01", "2000-06-01", "2000-07-01",
    "2000-08-01", "2000-09-01", "2000-10-01"
  ),
  Trade = c(
    2000, 1023, 983, 2793, 1821, 1837, 1792, 1853, 791, 739
  ),
  Manufacturing = c(
    734, 694, 739, 736, 685, 621, 708, 685, 667, 693
  ),
  Leisure = c(
```

```
      1782, 1779, 1789, 658, 675, 833, 786, 675, 636, 691
    ),
    Agriculture = c(
      655, 587, 623, 517, 561, 2545, 636, 584, 559, 2504
    )
  )

stackedAreaChart(
  data = data,
  x = "date",
  legendTextSize = 14,
  curve = "curveCardinal",
  colorCategory = "Accent",
  bgcol = "white",
  stroke = "black",
  strokeWidth = 1
)
```

# Index

[animatedHistogram](#), 2  
[animLineChart](#), 4  
[areaBand](#), 5  
[areaChart](#), 7  
  
[barChart](#), 9  
[barChartRace](#), 11  
  
[histogram](#), 13  
[horzBarChart](#), 15  
[horzLollipop](#), 17  
  
[lineChart](#), 19  
[lollipopChart](#), 20  
  
[pieChart](#), 22  
  
[scatterPlot](#), 24  
[stackedAreaChart](#), 26