

Package: rintimg (via r-universe)

August 30, 2024

Type Package

Title View Images on Full Screen in 'RMarkdown' Documents and 'shiny' Applications

Version 0.1.0

Maintainer Mohamed El Fodil Ihaddaden <ihaddaden.fodeil@gmail.com>

Description Allows the user to view an image in full screen when clicking on it in 'RMarkdown' documents and 'shiny' applications. The package relies on the 'JavaScript' library 'intense-images'. See <<https://tholman.com/intense-images/>> for more information.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports htmltools, glue

RoxygenNote 7.1.1

URL <https://github.com/feddelegrand7/rintimg>

BugReports <https://github.com/feddelegrand7/rintimg/issues>

Repository <https://feddelegrand7.r-universe.dev>

RemoteUrl <https://github.com/feddelegrand7/rintimg>

RemoteRef HEAD

RemoteSha fa57b557ca877a3c1427800b0d177a6b783980c4

Contents

| | |
|------------------------------|---|
| img_intensify | 2 |
| intense_dependency | 3 |

| | |
|--------------|----------|
| Index | 4 |
|--------------|----------|

`img_intensify`*Viewing images on full screen*

Description

Viewing images on full screen

Usage

```
img_intensify(target = "img")
```

Arguments

| | |
|---------------------|--|
| <code>target</code> | By default, the function intensifies all the images (tag) however the user can target specific classes |
|---------------------|--|

Value

images that when clicked can be viewed on full screen no matter their initial size

Examples

```
if (interactive()) {  
  
  ui <- fluidPage(  
  
    h1("Click on the image to view it in full screen"),  
  
    img(src = "https://www.r-project.org/logo/Rlogo.png",  
        width = "200px", height = "200px"),  
  
    img_intensify()  
  
  )  
  
  server <- function(input, output) {  
  
  }  
  
  shinyApp(ui = ui, server = server)  
  
}
```

`intense_dependency` *Create an HTML dependency for intense-images.js*

Description

Create an HTML dependency for intense-images.js

Usage

`intense_dependency()`

Index

`img_intensify`, [2](#)

`intense_dependency`, [3](#)